

Declaration of Performance

No. : 85824541-CPR
Version: V01

1. Unique identification code of the product type:
Akkit 601 Sanitary Silicone
2. Intended use of the construction product as foreseen by the manufacturer:
Sealing materials for joints in sanitary facilities.
3. In accordance with the applicable harmonised technical specification:
EN 15651-3:2012: TYPE S: CLASS XS1
4. Name and contact address:
HORNBACH Baumarkt AG Hornbachstrasse 11, 76879 Bornheim/ Germany
5. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:
System 3
System 3: Reaction to fire
6. Name and contact address of the manufacturer according to Article 11(5):
GINGER CEBTP, NB 0074 has performed the type test following system 3.
7. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	Class E	EN 15651-3: 2012
Release of chemicals harmful to health and/or the environment	NPD	
Water- and air-tightness		
Stability	≤ 3 mm	
Loss of volume	≤ 20%	
Tensile behaviour under pre-stress	NF	
Adhesive / tensile behaviour at different temperatures	NF	
Adhesive / tensile behaviour under pre-stress after immersion in water	NF	
Microbiological growth	0	
Durability	Passed	

Conditioning:
Procedure A

Substrate:
Aluminium
Glass



NB 0074

14

Reference No. Declaration of Performance: 230450

Customer: Reference No: 85824541-CPR

EN 15651-3: 2012

Sealing materials for joints in sanitary facilities.

Akkit 601 Sanitary Silicone

EN 15651-3:2012: TYPE S: CLASS XS1

Conditioning:

Procedure A

Substrate:

Aluminium

Glass

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	Class E	EN 15651-3: 2012
Release of chemicals harmful to health and/or the environment	NPD	
Water- and air-tightness		
Stability	≤ 3 mm	
Loss of volume	$\leq 20\%$	
Tensile behaviour under pre-stress	NF	
Adhesive / tensile behaviour at different temperatures	NF	
Adhesive / tensile behaviour under pre-stress after immersion in water	NF	
Microbiological growth	0	
Durability	Passed	

8. Signed for and on behalf of the manufacturer by:

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Andreas Back, Director of Quality Assurance / Environmental Management
Bornheim, 12.05.14